	Application No.	Applicant(s)	
	Application No.	Applicant(s)	
Notice of Allowability	10/728,667	RONN ET AL.	
Notice of Allowability	Examiner	Art Unit	
	LIEN TM NGO	3727	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>preliminary amendment filed 12/8/03</u> .			
2. The allowed claim(s) is/are 41-55.			
3. The drawings filed on are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☑ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 10/1/04.			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🛛 Interview Summar		
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	·	Paper No./Mail Date <u>10/1/04</u> . 7. ⊠ Examiner's Amendment/Comment	
Paper No./Mail Date 12/8/03  4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Staten	nent of Reasons for Allowance	
of Biological Material	9. Other		

Application/Control Number: 10/728,667 Page 2

Art Unit: 3727

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with attorney Thomas Hughes on 9/30/04.

The application has been amended as follows:

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: A formal drawing will be filled, in which the reference numbers dispensing device "100", dispensing device "200", receiving opening "223" and body portion "207a" are shown in the drawing. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. The following is an examiner's statement of reasons for allowance: Claims 41-55 are allowed because the prior art of record does not disclose or suggest, either alone or combination, a dispensing liquid device comprising a lid element including a lower lid portion attachable to a container, the lower lid portion defining two lower orifices and having an upwardly-extending column member located in a center region of the lower lid portion, the column member having a sloping surface; an upper lid portion mounted on the lower lid portion via the column member, the upper lid portion defining two upper orifices and being rotatable relative to the lower lid portion to a first open position at

Application/Control Number: 10/728,667 Page 3

Art Unit: 3727

which a first one of the upper orifices is aligned with a first one of the lower orifices and to a second open position at which the second one of the upper orifices is aligned with a second one of the lower orifices; and a sliding member positioned on a top surface of the upper lid portion, the sliding member has a sloped surface that is configured, upon movement of the sliding member relative to the column member, to gradually engage the sloping surface of the column member so as to progressively press the upper lid portion towards the lower lid portion.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LIEN TM NGO whose telephone number is 703-305-0294. The examiner can normally be reached on Monday through Friday from 8:30 AM -6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, LEE YOUNG can be reached on 703-308-2572. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/728,667

Art Unit: 3727

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lien Ngo

October 1, 2004

Muly

Page 4